according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006

Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BREAK-THRU® S 240

Registration number : if available listed in Chapter. 3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Additive for crop protectant sprays

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : AlzChem Trostberg GmbH

Dr.-Albert-Frank-Str. 32 83308 Trostberg, Germany

Telephone : +49 8621 86-3351

E-mail address of person

responsible for the SDS

: alz-pst@alzchem.com

1.4 Emergency telephone number

Emergency telephone num- : +49 8621 86-2776

ber AlzChem Trostberg GmbH, Fire Brigade

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H312: Harmful in contact with skin.

Acute toxicity, Category 4 H332: Harmful if inhaled.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard statements : H312 Harmful in contact with skin.

H332 Harmful if inhaled.

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006 Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protec-

tion/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P312 Call a POISON CENTER/ doctor if you feel unwell.

P391 Collect spillage.

2.3 Other hazards

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Oxirane, methyl-, polymer with	134180-76-0	Acute Tox. 4; H312	50 - < 100
oxirane, mono[3-[1,3,3,3-		Acute Tox. 4; H332	
tetramethyl-1-		Eye Irrit. 2; H319	
[(trimethylsi-		Aquatic Chronic 2;	
lyl)oxy]disiloxanyl]propyl] ether		H411	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Seek medical advice in case of symptoms caused by eye or

skin contact, inhalation or swallowing.

Remove contaminated or saturated clothing.

If inhaled : Move to fresh air.

In case of skin contact : Wash off with plenty of water and soap.

In case of eye contact : Open the eyes and rinse thoroughly with plenty of water.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006

Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : To the best of our knowledge, experiences about acute sys-

temic health effects in human beings are not available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray, foam, CO2, dry powder.

Unsuitable extinguishing

media

high volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : Carbon oxides

ucts silica

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the case of fire, wear respiratory protective equipment independent of surrounding air and chemical protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear personal protective equipment; see section 8.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Product or extinguishing water with product must not be al-

lowed to enter soil, sewers or natural bodies of water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Absorb with liquid-binding material, e. g.: diatomaceous earth,

sand, universal binder

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006 Revision Date: 09.06.2021 Print Date: 10.06.2021 Material no .:

Advice on safe handling Provide sufficient ventilation and exhaust at the workplace.

During handling, the formation of aerosols / vapors has to be

avoided.

Use respiratory protection during spraying.

Advice on protection against :

fire and explosion

No special precautions required.

Hygiene measures Do not inhale vapours / aerosols. Avoid contact with skin,

> eyes and clothing. Take off clothing and shoes contaminated with product. Clean before reuse. Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke during use. Keep away from food, drink and animal

feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Keep tightly closed.

7.3 Specific end use(s)

Specific use(s) We are unaware of any specific end uses which go beyond

the data reported in Section 1.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsi-lyl)oxy]disiloxanyl]propyl] ether	DNEL not necessary (polymer)			

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Oxirane, methyl-, polymer with	PNEC not necessary (polymer)	
oxirane, mono[3-[1,3,3,3-		
tetramethyl-1-		
[(trimethylsi-		
lyl)oxy]disiloxanyl]propyl] ether		

8.2 Exposure controls

Personal protective equipment

Safety glasses Eye protection

Hand protection

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006 Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

Material : Nitrile rubber, Recommendation: Camatril 730

Break through time : > 480 min Glove thickness : 0.4 mm Directive : DIN EN 374

Manufacturer : Kächele-Cama Latex GmbH (KCL), Germany

Material : Chloroprene, Recommendation: Camapren 722

Break through time : > 480 min
Glove thickness : 0.6 mm
Directive : DIN EN 374

Manufacturer : Kächele-Cama Latex GmbH (KCL), Germany

Skin and body protection : Protective clothing

Respiratory protection : not required under normal use

Use suitable respiratory protection where aerosols/vapours

are generated.

Suitable filter: A-P2, code colour brown-white

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : light yellow

Odour : characteristic

Melting point/range : < 0 °C

Boiling point/boiling range : > 200 °C

Upper explosion limit / upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : 102 °C

Method: DIN 51758

Auto-ignition temperature : not determined

pH : 6 - 8 (25 °C)

Concentration: 40 g/l (as aqueous solution)

Viscosity

Viscosity, dynamic : ca. 40 - 90 mPa.s (25 °C)

Method: DIN 53019

Solubility(ies)

Water solubility : soluble

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006

Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

Density : 1.01 g/cm3 (20 °C)

9.2 Other information

Oxidizing properties : not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reactions have been known to occur in con-

junction with the proper use to the product.

10.4 Conditions to avoid

Conditions to avoid : frost.

Keep away from heat.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions.

see section 5

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute inhalation toxicity : Assessment: Harmful if inhaled.

Acute dermal toxicity : Assessment: Harmful in contact with skin.

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Acute oral toxicity : LD50 (rat): 3200 mg/kg

Remarks: literature

Acute inhalation toxicity : LC50 (rat): 1.08 mg/l

Remarks: literature

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006 Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

Acute dermal toxicity : LD50 (Rabbit): 1550 mg/kg

Remarks: literature

Skin corrosion/irritation

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Result : Not irritating. Remarks : literature

Serious eye damage/eye irritation

Product:

Assessment : Causes serious eye irritation.

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Species : Rabbit

Assessment : Causes serious eye irritation.

Remarks : literature

Respiratory or skin sensitisation

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Species : Guinea pig
Result : not sensitizing
Remarks : literature

Germ cell mutagenicity

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Germ cell mutagenicity- As- : In vitro tests did not show mutagenic effects

sessment Remarks: Literature, IUCLID

Carcinogenicity

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Carcinogenicity - Assess- : no data available

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006 Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

ment Remarks: Literature, IUCLID

Reproductive toxicity

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Reproductive toxicity - As- : no data available

sessment Remarks: Literature, IUCLID

STOT - single exposure

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Remarks : no data available

STOT - repeated exposure

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Remarks : no data available

Repeated dose toxicity

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Species : Rat

NOAEL : 200 mg/kg Remarks : literature

11.2 Information on other hazards

Further information

Product:

Remarks : No additional toxicological data are available.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006 Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Toxicity to fish : (Oncorhynchus mykiss (rainbow trout)): 2.1 mg/l

Exposure time: 96 h Remarks: literature

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): 1.1 mg/l

Exposure time: 48 h Remarks: literature

Toxicity to algae/aquatic

plants

Remarks: no data available

12.2 Persistence and degradability

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Biodegradability : Remarks: no data available

12.3 Bioaccumulative potential

Components:

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Bioaccumulation : Remarks: no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : A PBT/vPvB evaluation is not available, since a chemical

safety evaluation is not required / has not been carried out.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

Prevent uncontrolled release in the environment. No further ecotoxicological data are available.

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006 Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Must be brought to an adequate waste treatment facility, in

conformity with applicable waste disposal regulations.

Contaminated packaging : Packaging, that can not be reused after cleaning must be

disposed or recycled in accordance with all federal, national

and local regulations.

SECTION 14: Transport information

14.1 UN number or ID number

 ADR
 : UN 3082

 RID
 : UN 3082

 IMDG
 : UN 3082

 IATA
 : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(polyether siloxane)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(polyether siloxane)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(polyether siloxane)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(polyether siloxane)

14.3 Transport hazard class(es)

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

RID

Packing group : III

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006 Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

Classification Code : M6 Hazard Identification Number : 90 Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous Remarks : ERG-Code 9L

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous Remarks : ERG-Code 9L

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IE Specification: 135237 Date of first issue: 22.08.2006 Revision Date: 09.06.2021 Material no.: Print Date: 10.06.2021

15.2 Chemical safety assessment

No substance safety assessment is required for this product.

SECTION 16: Other information

Full text of H-Statements

H312 : Harmful in contact with skin. H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

according to Regulation (EC) No. 1907/2006



BREAK-THRU® S 240

Version 4.2 / IESpecification: 135237Date of first issue: 22.08.2006Revision Date: 09.06.2021Material no.:Print Date: 10.06.2021

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN