

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Sitofex® 1 EC  
Registration number : if available listed in Chapter. 3  
Unique Formula Identifier (UFI) : 0D10-80UX-T00H-EF1J

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Plant growth regulator, Used in agriculture

#### 1.3 Details of the supplier of the safety data sheet

Company : Alzchem Trostberg GmbH  
Dr.-Albert-Frank-Str. 32  
83308 Trostberg, Germany  
Telephone : +49 8621 86-3351  
E-mail address of person responsible for the SDS : alz-pst@alzchem.com

#### 1.4 Emergency telephone number

Emergency telephone number : +49 8621 86-2776  
Alzchem Trostberg GmbH, Fire Brigade

### SECTION 2: Hazards identification



#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.  
Skin irritation, Category 2 H315: Causes skin irritation.  
Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :  

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

H319 Causes serious eye irritation.

Supplemental Hazard Statements : EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P305 IF IN EYES:  
P351 Rinse cautiously with water for several minutes.  
P338 Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 If eye irritation persists:  
P313 Get medical advice/ attention.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

### Additional Labelling

Do not contaminate water with the product or its container.  
To protect aquatic organisms respect an unsprayed buffer zone of 3 m to surface water bodies.

### 2.3 Other hazards

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out

Vapours may cause narcotic effects.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Formulation of a phenylurea derivative as an emulsion concentrate

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ethanol; ethyl alcohol	64-17-5 200-578-6 01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	> 50

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU

Revision Date: 21.03.2022

Specification: 136455

Material no.:

Date of first issue: 21.03.2022

Print Date: 09.02.2023

forchlorfenuron	68157-60-8 614-346-0 613-254-00-8	Carc. 2; H351 Aquatic Chronic 2; H411	0,12
-----------------	---	---	------

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Seek medical advice in case of symptoms caused by eye or skin contact, inhalation or swallowing.  
Change contaminated, soaked clothes.
- If inhaled : Move to fresh air.
- In case of skin contact : Wash off with plenty of water and soap.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Keep eye wide open while rinsing.
- If swallowed : Rinse mouth.  
Drink plenty of water.  
Do not induce vomiting without medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritant effect on eyes and skin  
Effects on the CNS are also possible after inhalation.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No specific antidote known.  
Symptomatic treatment.  
If necessary  
gastric lavage  
If necessary, administer activated charcoal (10-20g) and sodium sulfate (Glauber salt, 20g).

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry powder  
Water spray

### 5.2 Special hazards arising from the substance or mixture

- Hazardous combustion products : Carbon oxides  
nitrous gases  
Traces of:  
hydrogen chloride (HCl)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

### 5.3 Advice for firefighters

Special protective equipment : In the case of fire, wear respiratory protective equipment independent of surrounding air and chemical protective suit.

Further information : Do not contaminate surface water.  
Cool containers/tanks with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Keep away from sources of ignition - No smoking.  
Ensure adequate ventilation.  
Wear personal protective equipment; see section 8.

### 6.2 Environmental precautions

Environmental precautions : Product or extinguishing water with product must not be allowed to enter soil, sewers or natural bodies of water.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.  
Then flush with water.

### 6.4 Reference to other sections

For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Ensure good ventilation during processing.

Advice on protection against fire and explosion : Vapours may form explosive mixtures with air. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Hygiene measures : Do not inhale vapours / aerosols. Avoid contact with skin, eyes and clothing. Take off clothing and shoes contaminated with product. Clean before reuse. Do not eat, drink or smoke while working. Wash hands, and/or face before breaks and when workday is finished. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep out of the reach of children.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

areas and containers

Further information on storage conditions : Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid light effect, sun rays, heat effect.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Packaging material : Suitable material: polyethylene, glass

### 7.3 Specific end use(s)

Specific use(s) : We are unaware of any specific end uses which go beyond the data reported in Section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol; ethyl alcohol	Industrial use	Inhalation	Long-term systemic effects	950 mg/m <sup>3</sup>
	Industrial use	Skin contact	Long-term systemic effects	343 mg/kg bw/day
	Consumer use	Inhalation	Long-term systemic effects	114 mg/m <sup>3</sup>
	Consumer use	Skin contact	Long-term systemic effects	206 mg/kg bw/day
	Consumer use	Oral	Long-term systemic effects	87 mg/kg bw/day
forchlorfenuron	DNEL not necessary (<10t)			

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ethanol; ethyl alcohol	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
	Sewage treatment plant	580 mg/l
	Fresh water sediment	3,6 mg/kg dry weight (d.w.)
	Marine sediment	2,9 mg/kg dry weight (d.w.)
	Soil	0,63 mg/kg dry weight (d.w.)
	oral (secondary poisoning)	0,38 mg/kg dietary
forchlorfenuron	PNEC not necessary (<10t)	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

### 8.2 Exposure controls

#### Engineering measures

Provide washing facilities in the workplace.

#### Personal protective equipment

Eye protection : Safety glasses

Hand protection

Material : Nitrile rubber, Recommendation: Rubiflex S NB 35 S  
Break through time : > 30 min  
Glove thickness : 0,5 mm  
Directive : DIN EN 374  
Manufacturer : Kächele-Cama Latex GmbH (KCL), Germany

Material : Nitrile rubber, Recommendation: Camatril 730  
Break through time : 175 min  
Glove thickness : 0,4 mm  
Directive : DIN EN 374  
Manufacturer : Kächele-Cama Latex GmbH (KCL), Germany

Material : Butyl-rubber, Recommendation: Butoject 898  
Break through time : > 480 min  
Glove thickness : 0,7 mm  
Directive : DIN EN 374  
Manufacturer : Kächele-Cama Latex GmbH (KCL), Germany

Remarks : In case of contact through splashing: elbow-length rubber gloves  
Change protective gloves regularly.

Skin and body protection : When opening the container, decanting or blending:  
Hand protection  
suitable protective clothing / face protection  
cotton overalls buttoned to the neck and wrist (or equivalent clothing)

When using the prepared spray:  
cotton overalls buttoned to the neck and wrist (or equivalent clothing)

Respiratory protection : In case of insufficient ventilation wear suitable respiratory equipment.  
Respirator with brown A-type filter

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

Colour	:	slight, yellow
Odour	:	alcohol-like
Boiling point/boiling range	:	ca. $\geq 78$ °C Ethanol
Upper explosion limit / upper flammability limit	:	28 %(V)
Lower explosion limit / Lower flammability limit	:	1,5 %(V)
Flash point	:	16 °C
Auto-ignition temperature	:	ca. 425 °C
pH	:	7,7 - 7,8 (20 °C) Concentration: 7,5 g/l
Solubility(ies) Water solubility	:	(20 °C) completely miscible
Partition coefficient: n-octanol/water	:	log Pow: 3,2 (20 °C) active substance
Vapour pressure	:	59 hPa (20 °C)
Density	:	0,81 - 0,84 g/cm <sup>3</sup> (20 °C)

### 9.2 Other information

no data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

See section 10.3

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Keep away from direct sunlight.  
Keep away from heat and sources of ignition.

### 10.5 Incompatible materials

Materials to avoid : Acids and bases

## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

Oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions.  
see section 5

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Components:

##### **ethanol; ethyl alcohol:**

Acute oral toxicity : Assessment: Based on available data, the classification criteria are not met.

Acute inhalation toxicity : Assessment: Based on available data, the classification criteria are not met.

##### **forchlorfenuron:**

Acute oral toxicity : LD50 (Rat): 4918 mg/kg  
Remarks: Own test result.

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l  
Exposure time: 4 h  
Remarks: maximum concentration in the test: no animals died.  
Own test result.

Acute dermal toxicity : LD50 (Rabbit): > 2000 mg/kg  
Remarks: Own test result.

#### Skin corrosion/irritation

##### Product:

Species : Rabbit  
Exposure time : 4 h  
Method : OECD Guide-line 404  
Result : Moderate skin irritation  
Test substance : Own test result.

##### Components:

##### **ethanol; ethyl alcohol:**

Assessment : Based on available data, the classification criteria are not met.  
Remarks : IUCLID

##### **forchlorfenuron:**

Species : Rabbit



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

Result : No skin irritation  
Remarks : Own test result.

### Serious eye damage/eye irritation

#### Product:

Method : OECD Guide-line 405  
Result : slightly irritating  
Remarks : Own test result.

#### Components:

##### ethanol; ethyl alcohol:

Species : Rabbit  
Method : OECD Guide-line 405  
Result : irritating

##### forchlorfenuron:

Species : Rabbit  
Result : slight irritation  
Remarks : Own test result.  
Product dust may cause temporary mechanical eye irritation.

### Respiratory or skin sensitisation

#### Components:

##### ethanol; ethyl alcohol:

Assessment : Based on available data, the classification criteria are not met.  
Remarks : IUCLID

##### forchlorfenuron:

Species : guinea pig  
Result : not sensitizing  
Remarks : literature

### Germ cell mutagenicity

#### Components:

##### ethanol; ethyl alcohol:

Germ cell mutagenicity- Assessment : Based on available data, the classification criteria are not met.  
Remarks: IUCLID

##### forchlorfenuron:

Germ cell mutagenicity- Assessment : Not mutagenic in a battery of in-vitro test systems.

## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

### Carcinogenicity

#### Components:

##### ethanol; ethyl alcohol:

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.  
Remarks: IUCLID

##### forchlorfenuron:

Remarks : H351: Suspected of causing cancer.  
EU-CLP as per Regulation (EU) No. 1272/2008, Annex VI

Carcinogenicity - Assessment : The classification criteria are not met based on the available data., The available data does not support the harmonized classification.

### Reproductive toxicity

#### Components:

##### ethanol; ethyl alcohol:

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.  
Remarks: IUCLID

##### forchlorfenuron:

Reproductive toxicity - Assessment : no data available

### STOT - single exposure

#### Components:

##### ethanol; ethyl alcohol:

Assessment : Based on available data, the classification criteria are not met.  
Remarks : IUCLID

##### forchlorfenuron:

Remarks : no data available

### STOT - repeated exposure

#### Components:

##### ethanol; ethyl alcohol:

Assessment : Based on available data, the classification criteria are not met.  
Remarks : IUCLID

##### forchlorfenuron:

Remarks : no data available

## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

### Aspiration toxicity

**Product:**

no data available

**Components:**

**ethanol; ethyl alcohol:**

Based on available data, the classification criteria are not met.

Remarks : IUCLID

**forchlorfenuron:**

No data available

### 11.2 Information on other hazards

#### Further information

**Product:**

Remarks : Chronic overexposure to ethanol may cause liver damage and cirrhosis of the liver, central nervous system depression, headache and dizziness. Concentrations substantially above the TLV value may cause narcotic effects.

Remarks : No additional toxicological data are available.

## SECTION 12: Ecological information

### 12.1 Toxicity

**Components:**

**ethanol; ethyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas): 14200 mg/l  
Exposure time: 96 h  
Remarks: IUCLID

Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 5012 mg/l  
Exposure time: 48 h  
Remarks: IUCLID

**forchlorfenuron:**

Toxicity to fish : LC50 (Oncorhynchus mykiss): 9,2 mg/l  
Exposure time: 96 h  
Remarks: Own test result.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 8,0 mg/l  
Exposure time: 48 h  
Remarks: Own test result.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

- Toxicity to algae/aquatic plants : EC50 (senastrum capricornutum): 3,3 mg/l  
End point: Biomass  
Exposure time: 72 h  
Remarks: Own test result.
- ErC50 (senastrum capricornutum): 5,3 mg/l  
End point: growth rate  
Exposure time: 72 h  
Remarks: Own test result.
- NOEC : 1 mg/l  
Exposure time: 72 h  
Remarks: Own test result.
- ErC50 (Navicula pelliculosa (Freshwater diatom)): 4,74 mg/l  
End point: growth rate  
Remarks: Own test result.
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2 mg/l  
Exposure time: 21 d  
Species: Daphnia (water flea)  
Remarks: Own test result.
- Toxicity to soil dwelling organisms : NOEC: 37,79 mg/kg  
Exposure time: 56 d  
End point: reproduction  
Species: Eisenia fetida (earthworms)  
Method: OECD TG 222
- Toxicity to terrestrial organisms : LD50: > 2250 mg/l  
Species: Colinus virginianus (Bobwhite quail)  
Test substance: active substance
- Remarks: Non toxic to bees

### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

#### Components:

##### **ethanol; ethyl alcohol:**

Biodegradability : Remarks: Readily biodegradable.

##### **forchlorfenuron:**

Biodegradability : Remarks: Not readily biodegradable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

#### Components:

##### **ethanol; ethyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: -0,35 (24 °C)

##### **forchlorfenuron:**

Partition coefficient: n-octanol/water : log Pow: 3,2 (20 °C)

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out

### 12.6 Endocrine disrupting properties

no data available

### 12.7 Other adverse effects

#### Product:

Additional ecological information : Prevent penetration into soil, stretches of water and drainage systems.  
No further ecotoxicological data are available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Must be brought to an adequate waste treatment facility, in conformity with applicable waste disposal regulations.

Contaminated packaging : Rinse empty containers with water and use the rinse-water to prepare the working solution.  
Triple rinse containers.  
Puncture container to avoid re-use.  
Can be disposed of as a solid waste or burned in a suitable installation subject to local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

### SECTION 14: Transport information

#### 14.1 UN number or ID number

**ADR** : UN 1170  
**RID** : UN 1170  
**IMDG** : UN 1170  
**IATA** : UN 1170

#### 14.2 UN proper shipping name

**ADR** : ETHANOL SOLUTION  
**RID** : ETHANOL SOLUTION  
**IMDG** : ETHANOL SOLUTION  
**IATA** : Ethanol solution

#### 14.3 Transport hazard class(es)

**ADR** : 3  
**RID** : 3  
**IMDG** : 3  
**IATA** : 3

#### 14.4 Packing group

**ADR**  
Packing group : II  
Classification Code : F1  
Hazard Identification Number : 33  
Labels : 3  
Tunnel restriction code : (D/E)  
Remarks : Observe listed materials regulation §35, paragraph 1  
GGVSEB

**RID**  
Packing group : II  
Classification Code : F1  
Hazard Identification Number : 33  
Labels : 3

**IMDG**  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-D

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 364  
Packing instruction (LQ) : Y341  
Packing group : II  
Labels : Flammable Liquids

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

Remarks : ERG-Code 3L  
Maximum Net Quantity per Package 60 L

### IATA (Passenger)

Packing instruction (passenger aircraft) : 353  
Packing instruction (LQ) : Y341  
Packing group : II  
Labels : Flammable Liquids  
Remarks : ERG-Code 3L  
Maximum Net Quantity per Package 5 L

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other regulations:

Restricted to professional users.  
According to EU Regulation 1107/2009/EEC and country-specific requirements.

### 15.2 Chemical safety assessment

No substance safety assessment is required for this product because use of the substance is already regulated within the framework of specific legal regulations.

## SECTION 16: Other information

#### Full text of H-Statements

H225 : Highly flammable liquid and vapour.  
H319 : Causes serious eye irritation.  
H351 : Suspected of causing cancer.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Sitofex® 1 EC

Version 5.5 / REG\_EU  
Revision Date: 21.03.2022

Specification: 136455  
Material no.:

Date of first issue: 21.03.2022  
Print Date: 09.02.2023

H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard  
Carc. : Carcinogenicity  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN